



# MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

**H.B. FULLER CONSTRUCTION PRODUCTS, INC. OF  
AURORA, IL** 1105 SOUTH FRONTENAC STREET; ZIP CODE: 60504

Category:  
Cert. Scheme:

Construction Materials - Adhesives, Sealants & Coatings  
VOC Emissions

Accredited  
Standards &  
Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

\*Conforms  
With:

LEED v4.1 ID+C, BD+C (classroom & office setting) low-emitting materials  
CHPS 2019 Core Criteria 3.0 EQ C6.1.1 adhesives & sealants  
Criteria of MAS Certified Green® Program low-emitting materials  
TVOC Emissions at 14-days 0.5 mg/m<sup>3</sup> or less

Bracketed  
Products:

Adhesives #2: 85-20\*\*, 85-75, CP-82.  
\*\*Product tested as representative exemplar of product bracket listed above.

Test Date:

July 10, 2020 Report No.:2000414R1 Certificate No.: MAS2000414R2-8

valid July 2020 to July 2021



Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012  
\*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>