



MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

ARMACELL AT CHAPEL HILL, CHAPEL HILL, NC

55 VILCOM CENTER DR. STE 200; ZIP CODE: 27514

Category:

Construction Materials - Interior Adhesives, Glues, Sealants & Coatings

Cert. Scheme:

VOC Emissions

Accredited

Standards &

Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms
With:

Criteria of MAS Certified Green® Program
LEED v4.1 ID+C, BD+C
CHPS 2019 Core Criteria 3.0 EQ C6.1.1
TVOC Emissions at 14-days

low-emitting materials
low-emitting materials
adhesives & sealants
0.5 mg/m³ or less

Certified
Products:

520 BLV Adhesive

Test Date:

August 6, 2020 Report No.: 2000448

Certificate No.: MAS2000448-02-A-R1

Valid: August 2020 to August 2021



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017

3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>