

# MAS Certified Green® Certificate of Compliance Low-Emitting Materials



Awarded to: **H.B. FULLER CONSTRUCTION PRODUCTS, INC. OF  
AURORA, IL** 1105 SOUTH FRONTENAC STREET; ZIP CODE: 60504

Category: Construction Materials - Adhesives, Sealants & Coatings  
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 classroom & private office

\*Conforms With: Criteria of MAS Certified Green® Program  
CHPS 2019 Core Criteria 3.0 EQ C6.1.1  
LEED v4.1 ID+C, BD+C  
TVOC Emissions at 14-days  
low-emitting materials  
adhesives & sealants  
low-emitting materials  
0.5 mg/m<sup>3</sup> or less

Certified Products: Group 4: HVAC Sealants: 32-16, 32-17, 32-18, 32-19\*\*, CP-146, CP-147, CP-148, CP-181, CP-181-1, CP-190-1, FDS-181, G-347.

\* \*\*Product tested as representative exemplar of product bracket listed above.

Test Date: August 16, 2021 Report No.:2100525 Certificate No.: MAS2100525-03

Valid: August 2021 to August 2022



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012  
\*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>