

# MAS Certified Green® Certificate of Compliance Low-Emitting Materials



Awarded to: **RIKETT AMERICA HOLDING INC. OF CITY OF  
INDUSTRY, CA** 17800 Castleton Street; Zip Code: 91748

Category: Construction Materials - Flooring  
Cert. Scheme: VOC Emissions

Accredited  
Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 *classroom & private office*

\*Conforms With: Criteria of MAS Certified Green® Program  
LEED v4.1 ID+C, BD+C *low-emitting materials*  
LEED TVOC Emissions at 14-days *low-emitting materials*  
CHPS 2019 Core Criteria 3.0 EQ C6.1.2 *0.5 mg/m³ or less*  
*flooring systems*

Certified Products: Quartz Tile: *Classic, CAMO, Medley\*\*, Rain, Solids.*  
Quartz Sheet: *Medley.*

\*\* Product tested as representative exemplar of products listed above.

Test Date: July 7, 2022 Report No.: 2200473 Certificate No.: MAS2200473-R1

*Valid: July 2022 to July 2023*



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012  
\*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>