

MAS Certified Green® Certificate of Compliance Low-Emitting Materials



Awarded to: **STANCE HEALTHCARE INC., OF KITCHENER, ONTARIO**

45 GOODRICH DRIVE: CANADA N2C 08B

Category: Contract Furniture -Tables & Casegoods
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: ANSI/BIFMA x7.1-2011 (R2021) *open office & private office*
ANSI/BIFMA e3-2019 Sections 7.6.1, 7.6.2, 7.6.3 *open office & private office*
California Dept. of Public Health Standard Method v1.2 *open office (single table)*

*Conforms With Criteria of MAS Certified Green® Program *patient room settings/ (single table)*
LEED v4.1 ID+C, BD+C *low-emitting healthcare furniture*

Certified Products: Tables & Casegoods Bracket
(see page 2 for list of certified products)

Test Date: December 08, 2022 Report No.:2201017 Certificate No.: MAS2201017



Testing Cert. # 2925.01
Product Cert. # 2925.02

Kevin Simpston

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017
3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>

Valid: December 2022 to December 2023

MAS Certified Green® Certificate of Compliance Low-Emitting Materials



Awarded to: **STANCE HEALTHCARE INC., OF KITCHENER, ONTARIO**

45 GOODRICH DRIVE: CANADA N2C 08B

Tables: Certified Products

Dining & Multi-Use Tables

| | |
|------------------|---------------------|
| <i>Disc Base</i> | <i>Trumpet Base</i> |
|------------------|---------------------|

Occasional Tables

| | | | |
|---------------|--------------------------------|-----------------|-------------------------------|
| <i>Bali</i> | <i>Bali, Solid Surface Top</i> | <i>Bora</i> | <i>Bora Solid Surface Top</i> |
| <i>Capri</i> | <i>Cassia</i> | <i>Gem</i> | <i>Huxley</i> |
| <i>Iris</i> | <i>Jensen</i> | <i>Pavilion</i> | <i>Resilia</i> |
| <i>Zurich</i> | | | |

Overbed

| | | | | |
|----------------|--------------|------------------|------------------|----------------|
| <i>Eclipse</i> | <i>Olsen</i> | <i>Split-Top</i> | <i>Transcend</i> | <i>Victory</i> |
|----------------|--------------|------------------|------------------|----------------|

Casegoods:

Standard Line

| | | |
|------------------|----------------|-----------------|
| <i>Gibraltar</i> | <i>Kindred</i> | <i>Royale**</i> |
|------------------|----------------|-----------------|

Behavioral Health Line

** Product tested as a representative exemplar for the products listed above.

| | | |
|-----------------|------------------|----------------|
| <i>Fortress</i> | <i>Gibraltar</i> | <i>Liberty</i> |
|-----------------|------------------|----------------|

Test Date: December 08, 2022

Report No.: 2201017

Certificate No.: MAS2201017

Valid: December 2022 to December 2023



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017
3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

*outside of A2LA accreditation scope
3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>