



# MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

**INTUITIVE COATINGS OF DRIFTWOOD, TX**

18281 FM 150 W. SUITE 105; ZIP CODE: 78619

Category:

Construction Materials - Interior Adhesives, Glues, Sealants & Coatings

Cert. Scheme:

VOC Emissions

Accredited  
Standards &  
Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

\*Conforms  
With:

LEED v4.1 ID+C, BD+C  
CHPS 2019 Core Criteria 3.0 EQ C6.1.1  
Criteria of MAS Certified Green® Program  
TVOC Emissions at 14-days

low-emitting materials  
adhesives & sealants  
low-emitting materials  
0.5 mg/m<sup>3</sup> or less

Bracketed  
Products:

T1 for Wood & Stone, T2 for Concrete & Metal, Graffiti Defense, Paint Strength+, Primyx (Adhesive Fusion Primer)\*\*, Surfyx (Surface Revitalizer), CeraForm Circuit Guard, Vinyl Floor Coat, HoldFast Marine Coat, HoldFast Prop Coat, HoldFast Bottom Coat, Anti-Microbial T2. (\*\*Product tested as representative exemplar of products listed above.)

Test Date:

July 15, 2020

Report No.: 2000418

Certificate No.: MAS2000418

valid July 2020 to July 2021



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017

3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

\*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>