



# MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

**HARVEY MARIA, LTD. OF BALCOMBE, UK**

THE OLD FEED ROOM BALCOMBE PLACE STABLES, HAYWARDS HEATH RD, BALCOMBE RH17 6QJ 7870 ®

Category:

Construction Material - Flooring

Cert. Scheme:

VOC Emissions

Accredited  
Standards &  
Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

\*Conforms  
With:

Criteria of MAS Certified Green® Program  
LEED v4.1 ID+C, BD+C  
CHPS 2019 Core Criteria 3.0 EQ C6.1.2  
TVOC Emissions at 14-days

low-emitting materials  
low-emitting materials  
flooring systems  
0.5 mg/m<sup>3</sup> or less

Certified  
Products:

Luxury Vinyl Tile - Signature Collections, Premium Woods, CIR LVT,  
and Little Bricks.

Test Date:

12/18/2019

Report No.:1901476

Certificate No.: MAS1901476b-R1

Valid: January 2021 to January 2022



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

\*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>