MAS Certified Green® Certificate of Compliance Low-Emitting Materials



Awarded to: **DAYTON SUPERIOR CORP. OF MIAMISBURG, OH**

1125 BYERS ROAD; ZIP CODE: 45342

Category:	Construction Materials - Concrete Finishing Products
Cert. Scheme:	VOC Emissions

Accredited Standards & Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms	Criteria of MAS Certified Green® Program	low-emitting materials
With:	LEED v4.1 ID+C, BD+C	low-emitting materials
	LEED TVOC Emissions at 14-days	0.5 mg/m ³ or less
	CHPS 2019 Core Criteria 3.0 EQ C6.1.1	adhesives & sealants

CertifiedSealing and Curing Compounds: Top Cast® EX200 Wash-Off ExtenderProducts:** Product tested as representative exemplar of product listed above – Top Cast® HG500 High Gloss Sealer.

Test Date: May 25, 2023 Report No.:2300238 Certificate No.: MAS2300238-03-29

Valid: May 2023 to May 2024



Testing Cert. # 2925.01 Product Cert. # 2925.02 Product Certifier, MAS Certified Green CT

Laboratory Testing by Materials Analytical Services, LLC - ISO/IEC 17025:2017 3rd Party Product Certification by MAS Certified Green® - ISO/IEC 17065:2012 *outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · http://www.mascertifiedgreen.com/