

# MAS Certified Green® Certificate of Compliance

## Low-Emitting Materials



Awarded to: **ALTRO USA, INC.**  
80 industrial Way, #1; Wilmington, MA 01887

Category: Construction Materials - Flooring  
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 *classroom & private office*

\*Conforms With: Criteria of MAS Certified Green® Program  
LEED v4.1 ID+C, BD+C *low-emitting materials*  
LEED TVOC Emissions at 14-days *low-emitting materials*  
CHPS 2019 Core Criteria 3.0 EQ C6.1.2 *0.5 mg/m<sup>3</sup> or less*  
*flooring systems*

Certified Products: Altro Quartz Tile: Marble, Chip Design, Solid.

Test Date: June 12, 2024      Report No.:2400383      Certificate No.: MAS2400383a

**Valid: June 2024 to June 2025**



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by **Materials Analytical Services, LLC** - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065:2012  
\*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. · Suwanee, Ga. 30024 · 770-866-3200 · <http://www.mascertifiedgreen.com/>