

MAS Certified Green® Certificate of Compliance

Low-Emitting Materials



Awarded to: **BOOTZ MANUFACTURING CO., LLC**

1400 Park Street; Evansville, IN 47710

Category: Construction Material - SMC/CMC Surround Walls
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 *classroom & private office (as wallcoverings)*

*Conforms With: Criteria of MAS Certified Green® Program *low-emitting materials*
Criteria of MAS Certified Green® Program *single family residence (2 showers)*
LEED v4.1 ID+C, BD+C *low-emitting materials*
LEED TVOC Emissions at 14-days *0.5 mg/m³ or less*
CHPS 2019 Core Criteria 3.0 EQ C6.1.6 *ceiling & wall systems*

Certified Products: *Classic Wall Kit series.*
NexTile Wall Kit series.

Test Date: August 16, 2024 Report No.:2400502 Certificate No.: MAS2400502-01R1

Valid: August 2024 to August 2025



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by **Materials Analytical Services, LLC** - ISO/IEC 17025:2017
3rd Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065:2012
*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. · Suwanee, Ga. 30024 · 770-866-3200 · <http://www.mascertifiedgreen.com/>