

# MAS Certified Green® Certificate of Compliance

## Low-Emitting Materials



Awarded to: **H.B. FULLER CONSTRUCTION PRODUCTS, INC.**  
1105 S. FRONTENAC ROAD, AURORA, IL 60504

Category: Construction Materials - Interior Adhesives, Glues, Sealants & Coatings  
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 *classroom & private office*

\*Conforms With: Criteria of MAS Certified Green® Program  
LEED v4.1 ID+C, BD+C *low-emitting materials*  
LEED TVOC Emissions at 14-days *low-emitting materials*  
CHPS 2019 Core Criteria 3.0 EQ C6.1.5 *0.5 mg/m³ or less*  
*paints & coatings*

Certified Products: Group 3: Lagging & Adhesive Coatings: 30-36, 30-36 AF, 30-36 HF, 30-36 HF-AF, 81-42 HF, 81-42 W, CP-52\*\*, CP-135-2, CP-137, CP-137 AF, CP-137 HF, CP-137 HF-AF.

\*\*Product tested as representative exemplar of product bracket listed above.

Test Date: December 5, 2024 Report No.:2400678R1 Certificate No.: MAS2400678R1-03R1

**Valid: December 2024 to December 2025**



Product Certifier, MAS Certified Green CT

Laboratory Testing by **Materials Analytical Services, LLC** - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065:2012  
\*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. • Suwanee, Ga. 30024 • 770-866-3200 • <http://www.mascertifiedgreen.com/>