

MAS Certified Green® Certificate of Compliance

Low-Emitting Materials



Awarded to: **ENVIROTROL, INC.**
2594 FLAT SHOALS RD S.E., CONYERS, GA 30013

Category: Construction Materials - Interior Paints & Coatings
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 *classroom & private office*

*Conforms With: Criteria of MAS Certified Green® Program
LEED v4.1 ID+C, BD+C
LEED TVOC Emissions at 14-days
CHPS 2019 Core Criteria 3.0 EQ C6.1.5
*low-emitting materials
low-emitting materials
0.5 mg/m³ or less
paints & coatings*

Certified Products: Ceramic Cover CC-100

Test Date: March 12, 2025 Report No.:2500108 Certificate No.: MAS2500108-c

Valid: March 2025 to March 2026



Product Certifier, MAS Certified Green CT

Laboratory Testing by **Materials Analytical Services, LLC** - ISO/IEC 17025:2017
3rd Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065:2012
*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. • Suwanee, Ga. 30024 • 770-866-3200 • <http://www.mascertifiedgreen.com/>