

MAS Certified Green® Certificate of Compliance

Low-Emitting Materials



Awarded to: **NORTHERN WIDE PLANK FLOORING INC.**

5930 LLOYDTOWN-AURORA ROAD; NOBLETON, ONTARIO L0G 1T0, CANADA

Category: Construction Materials - Flooring
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: California Dept. of Public Health Standard Method v1.2 *classroom & private office*

*Conforms With: Criteria of MAS Certified Green® Program
LEED v4.1 & v5.0 ID+C, BD+C *low-emitting materials*
LEED TVOC Emissions at 14-days *low-emitting materials*
US-CHPS Criteria 2.0 (2020) EQ C6.1.2 *0.5 mg/m³ or less*
flooring systems

Certified Products: Flooring: *Artifax Collection, Dimensions Collection, Heritage Collection, Iconic Collection, Panoramic Collection, Studio Reserve Collection, Tannic Collection** & Wixom Collection.*

(**Product tested as representative exemplar of products listed above.)

Test Date: September 09, 2026 Report No.: 2600340 Certificate No.: MAS2600340-01

Valid: September 2026 to September 2027



Testing Cert. # 2925.01
Product Cert. # 2925.02

Kevin
Simpson

Digitally signed by Kevin Simpson
DN: cn=Kevin Simpson, c=US,
o=Materials Analytical Services, LLC,
ou=QA, email=ksimpson@mastest.com
Reason: I am approving this document
Date: 2026.09.09 17:43:21 -0400

Product Certifier, MAS Certified Green CT

Laboratory Testing by **Materials Analytical Services, LLC** - ISO/IEC 17025:2017
3rd Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065:2012
*outside of A2LA accreditation scope

Page 1 Of 1

3945 Lakefield Ct. • Suwanee, GA 30024 • 770-866-3200 • <http://www.mascertifiedgreen.com/>