MAS Certified Green® Certificate of Compliance

Low-Emitting Materials

Awarded to: **BRIGGS BATH**

1400 Park Street; Evansville, IN 47710

Category:	Construction Material – Bathtubs, Shower-bases, Sinks & Wall Kits Bracket	
Cert. Scheme:	VOC Emissions	
Accredited Standards & Test Methods:	California Dept. of Public Health Standard Method v1.2	*classroom & private office (as wall systems)*
*Conforms With:	Criteria of MAS Certified Green® Program	*low-emitting materials*
	Criteria of MAS Certified Green® Program	*single family residence (2 showers)*
	LEED v4.1 & v5.0 ID+C, BD+C	*low-emitting materials*
	LEED TVOC Emissions at 14-days	*0.5 mg/m³ or less*
Certified Products:	*Bathtubs; Shower-bases; Sinks; Wall-kits with & without EPS and FHA backing.*	

Test Date: October 28, 2026 Report No.:2600382 **Certificate No.: MAS2600382-BB**

Valid: October 28, 2026 to October 28, 2027

Kevin Simpson

Digitally signed by Kevin Simpson
DN: cn=Kevin Simpson, c=US, o=Materials Analytical Services, LLC, ou=QA, email=ksimpson@mastest.com
Reason: I am approving this document
Date: 2026.11.13 13:51:54 -05'00'

Product Certifier, MAS Certified Green® Program

A2LA ACCREDITED
Testing Cert. # 2925.01
Product Cert. # 2925.02

Laboratory Testing by Materials Analytical Services, LLC – ISO/IEC 17025:2017
3rd Party Product Certification by MAS Certified Green® - ISO/IEC 17065:2012
***outside of A2LA accreditation scope**

3945 Lakefield Ct. · Suwanee, Ga. 30024 · 770-866-3200 · http://www.mascertifiedgreen.com/